

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Opti-(T) - 10mg

Tested for: Optima Supply Inc

PASS

COA #: COA-2026-954158
Lot Number: OS-2026-7253
Accession #: ACC-2026-6311
Labeled Content: 10mg

Analysis Date: 07/08/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 06/23/2026



Scan to verify
authenticity at ils-lab.com
Access Code: 9235VPZB

Method: Full QC Panel

Identity

Opti-(T)

Peptide Purity

99.78%



Fentanyl
Free


Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.78%	%	PASS
Net Peptide Content	Report Only	10.48	mg	N/A
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Opti-(T) 10mg - OS-2026-7253

HPLC Chromatogram



Opti-(T) 10mg - OS-2026-7253: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/8/2026

COA #: COA-2026-954158
Access Code: 9235VPZB
Verify: <portal.ils-lab.com/verify/nf-NE7ZubJDHMMZB>
Issued: 7/8/2026

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.081 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- 1. Date Tested: 07/22/2026. Methods: Full QC Panel.
- 2. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
- 3. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- 4. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.




Dr. Greg Kalyuzhny
Lab Director
7/8/2026

COA #: **COA-2026-954158**
Access Code: **9235VPZB**
Verify: <portal.ils-lab.com/verify/nf-NE7ZubJDHmMzB>
Issued: 7/8/2026